

H 2000 mm



● ART. F AB 6300 02 04

H 1000 mm



● ART. F AB 6100 02 04

METAL COLOURS



GREY  
RAL 7000  
.01



GREEN  
RAL 6011  
.02



BLUE  
RAL 5012  
.04



GREY  
RAL 7035  
.08



CYLINDER LOCK (KEY)  
Supplied standard with cylinder lock  
and two keys



CONFIGURE YOUR CABINET FROM PAGE 457

- THE TOP SHELF CAPACITY IS 80 kg
- THE CABINET CAPACITY IS 600/800 kg  
(SEE PAGE 457)

KEY



DRAWER  
CAPACITY



DRAWER  
EXTENSION



CABINET  
CLOSURE



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

H 1000 mm



ART.		kg		
<b>F AB 6100 02 04</b>	-	-	-	key

1 adjustable shelf ART. F AC 2700 01 99 - load capacity 100 kg without centre support

H 1000 mm



ART.		kg		
<b>F AB 6100 05 04</b>	-	-	-	key

2 adjustable shelves ART. F AC 2300 01 99 - load capacity 150 kg  
1 centre support

H 2000 mm



ART.		kg		
<b>F AB 6300 02 04</b>	-	-	-	key

4 adjustable shelves ART. F AC 2700 01 99 - load capacity 100 kg without centre support

H 2000 mm



ART.		kg		
<b>F AB 6302 52 04</b>	-	-	-	key

8 adjustable shelves ART. F AC 2300 01 99 - load capacity 150 kg  
1 centre support  
5 grey containers PICKING BOX mes. 4 art. FAX PB C004 B0 51 01

CABINET WITHOUT CONTAINERS ART. **F AB 6302 02 04**

## CONFIGURE YOUR CABINET

METAL COLOURS



RAL 7000  
.01



RAL 6011  
.02



RAL 5012  
.04



RAL 7035  
.08

H 1000 mm



ART.		cabinet capacity	
F AB 6100 00 04		600 kg	key

Empty cabinet with doors without centre support  
Internal dimensions mm 1470x500x850 H

H 2000 mm



ART.		cabinet capacity	
F AB 6300 00 04		800 kg	key

Empty cabinet with doors without centre support  
Internal dimensions mm 1470x500x1850 H

H 2000 mm



ART.		cabinet capacity	
F AB 6302 00 04		800 kg	key

Empty cabinet with polycarbonate doors without centre support  
Internal dimensions mm 1470x500x1850 H



ALL THE CABINETS ARE SUPPLIED AS STANDARD WITH 2 FLOOR FIXING BRACKETS AND 2 WALL FIXING BRACKETS



### 3-EDGE TOP SHELF

ART.	dim. mm	
<b>F AC 4400 01 07</b>	1500x600x20 H	

Pvc coated shelf. Colour Black  
FOR CABINET F AB 6100



### MDF TOP SHELF DIM. 1500x600x31,5 mm H

ART.	finishes	for cabinet	
<b>F UZ 3160 11 07</b>	1 side profile	RH or LH final	

MDF shelf with oil-proof top rubber coating. Colour black



### MDF TOP SHELF DIM. 1500x600x31,5 mm H

ART.	finishes	for cabinet	
<b>F UZ 3160 12 07</b>	-	central	

MDF shelf with oil-proof top rubber coating. Colour black



### MDF TOP SHELF DIM. 1500x600x31,5 mm H

ART.	finishes	for cabinet	
<b>F UZ 3160 13 07</b>	2 side profiles	single	

MDF shelf with oil-proof top rubber coating. Colour black



**OIL-PROOF  
RUBBER  
FINISHING**



**MDF SHELF  
APPLICATION**



**ART. F UZ 9998 00 00**  
DRILLING OF THE CABINET UPPER  
SHELF FOR THE MDF TOP FIXING  
INCLUDING FIXING SCREWS



### CENTRE SUPPORT FOR CABINETS

ART.		for cabinet mm	
<b>F AC 3500 00 99</b>	<b>A</b>	600x1000 H	
<b>F AC 3600 00 99</b>	<b>B</b>	600x2000 H	

Galvanised finish

The centre support cannot be ordered separately from the cabinet.

The capacity of each compartment will be half the capacity of the cabinet.



### ADJUSTABLE SHELF, DEPTH 500 mm

ART.	dim. mm	capacity shelf
<b>F AC 2700 01 99</b>	1470x500x35 H	100 kg

This type of shelf can only be used if there is no centre support.

Galvanised finish  
Including 4 hooks.  
Suitable for containers PICKING BOX/STORAGE BOX:



mes. 4A2  
mes. 4  
mes. 4A5



mes. 272-4A2  
mes. 272-4  
mes. 272-4A5



**CONTAINERS**  
SEE PAGE  
1074 (PICKING BOX) -  
1088 (STORAGE BOX)



### ADJUSTABLE SHELF, DEPTH 500 mm

ART.	dim. mm	capacity shelf
<b>F AC 2300 01 99</b>	722x500x35 H	150 kg

This type of shelf can only be used when there is a centre support.

Galvanised finish  
Including 4 hooks.  
Suitable for containers PICKING BOX/STORAGE BOX:



mes. 4A2  
mes. 4  
mes. 4A5



mes. 272-4A2  
mes. 272-4  
mes. 272-4A5



**CONTAINERS**  
SEE PAGE  
1074 (PICKING BOX) -  
1088 (STORAGE BOX)

## FIXING

THE CABINETS MUST BE SECURED TO THE FLOOR OR TO THE WALL

### CABINET-TO-CABINET FIXING SET

**ART. F AG 9202 00 99**  
Cabinet-to-cabinet fixing set with 4 screws complete with M8 nuts

**ART. F UZ 9995 00 00**  
Drilling and hardware for fixing two overlapping cabinets

### FLOOR FIXING SET



**ART. F AG 9200 00 99**  
Pair of zinc-plated brackets for cabinet floor fixing

**ART. F AG 9204 00 99**  
2 "HILTI" stud anchors suitable for non-cracked concrete floors  $\geq$  class C20/25  
Recommended anchor strength: 2.9 KN  
Anchor diameter:  $\varnothing$  6 mm



### OVERLAPPING CABINETS:

-F AB 6100 + F AB 6100  
-F AB 6300 + F AB 6100

MUST BE FIXED TO THE WALL AND THEIR LOAD CAPACITY MUST BE DIVIDED BY 2.

