



ART.			
F CF H005 03 04		250	150 mm



ART.			
F CF H005 08 04		250	150 mm



ART.			
F CF H005 07 04		250	150 mm



ART.			
F CF H006 08 04		250	150 mm



ART.			
F CF H006 03 04		250	150 mm



ART.			
F CF H006 04 04		250	150 mm



2 standard rubber fixed wheels Ø 150 mm
1 standard rubber swivel wheels with brake Ø 150 mm
1 standard rubber swivel wheels Ø 150 mm





ART.			
F CL H006 06 04		250	150 mm



ART.			
F CL H006 04 04		250	150 mm



ART.			
F CL H006 10 04		250	150 mm



ART.			
● F CL H005 04 04		250	150 mm



ART.			
F CL H005 05 04		250	150 mm




ART.			
F CL H005 03 04		250	150 mm

removable mesh wall panel



2 standard rubber fixed wheels Ø 150 mm
1 standard rubber swivel wheels with brake Ø 150 mm
1 standard rubber swivel wheels Ø 150 mm



H = 817/ 1207

H1 = 43 mm

C = 685/1100

EXTRA STEEL WORKTOP

ART.	dim. mm	kg
F CF 0510 00 04	799x510x30 H	100

ART. F CF 0590 00 07 SMOOTH RUBBER FOR SHELVES

Black colour
Abm. mm 799x510x2 H

BOX STOPPER STEEL EDGES

ART.	dim. mm	suitable for
F CF 0900 00 99	795x10x60 H	steel worktop
F CF 0901 00 99	795x10x60 H	wooden shelf
F CF 0902 00 99	795x10x60 H	steel and wooden bases

The article F CF 0902 00 99 may not be ordered separately from the base

EXTRA WOODEN SHELF

ART.	dim. mm	kg
F CF 0560 00 04	795x500x20 H	100

EXTRA WOODEN TRAY

ART.	dim. mm	kg
F CF 0800 00 04	795x510x65 H	100

Internal dimensions mm 755x470x45 H

SIDE FRAME WITH HANDLE

ART.	dim. mm	ref.
F CF 0605 00 04	521x70x870 H	1
F CL 0605 00 04	521x105x1260 H	1

SIDE FRAME



ART.	dim. mm	ref.
F CF 0615 00 04	521x30x875 H	2
F CL 0615 00 04	521x30x1260 H	2

BASE WITH WOODEN PLATE

ART.	dim. mm	ref.
F CE G006 00 04	865x525x56 H	3

BASE WITH STEEL PLATE

ART.	dim. mm	ref.
F CE G005 00 04	865x525x56 H	4




MESHES FOR FRONTS

ART.		dim. mm
F CF 0625 00 04		384x680 H
F CL 0625 00 04		384x1095 H

Mesh hole mm 50x100

Supplied as 1 piece with 4 spring clips




RETI PER FIANCATE

ART.		dim. mm
F CF 0700 00 04 *		800x680 H
F CL 0700 00 04 **		800x1095 H

Mesh hole mm 50x100

*Supplied as 1 piece with 4 screw-on brackets

** Supplied as 2 pieces with 8 screw-on brackets



STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ømm	C mm	Trolley load capacity kg
C RG DAC11 100	100	128	175
C RG DAC12 125	125	155	250
C RG DAC13 150	150	180	250



ELASTIC RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ømm	C mm	Trolley load capacity kg
C RG DCE15 125	125	155	250




ELASTIC RUBBER FIXED WHEEL

ART.	Ømm	C mm	Trolley load capacity kg
C RG BCE15 125	125	155	250




STANDARD RUBBER FIXED WHEEL

ART.	Ømm	C mm	Trolley load capacity kg
C RG BAC11 100	100	128	175
C RG BAC12 125	125	155	250
C RG BAC13 150	150	180	250




POLYURETHANE SWIVEL WHEEL WITH BRAKE

ART.	Ømm	C mm	Trolley load capacity kg
C RN DDD31 125	125	155	250




POLYURETHANE FIXED WHEEL

ART.	Ømm	C mm	Trolley load capacity kg
C RN BDD31 125	125	155	250




STANDARD RUBBER SWIVEL WHEEL WITHOUT BRAKE

ART.	Ømm	C mm	Trolley load capacity kg
C RG CAC11 100	100	128	175
C RG CAC12 125	125	155	250
C RG CAC13 150	150	180	250




NON-MARKING RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ømm	C mm	Trolley load capacity kg
C RG DPH22 125	125	155	250




NON-MARKING RUBBER FIXED WHEEL

ART.	Ømm	Cmm	trolley load capacity kg
C RG BPH22 125	125	155	250



NYLON SWIVEL WHEEL WITH BRAKE

ART.	Ømm	C mm	Trolley load capacity kg
C RN DAD10 100	100	128	250
C RN DAD11 125	125	155	250



NYLON FIXED WHEEL

ART.	Ømm	C mm	Trolley load capacity kg
C RN BAD10 100	100	128	250
C RN BAD11 125	125	155	250



H 1045 mm




● ART. F CF H055 08 04

H 1535 mm




● ART. F CL H056 07 04

METAL
COLOURS



BLUE
RAL 5012
.04



GREY
RAL 7035
.08



SUPPLIED DISASSEMBLED AS STANDARD



2 standard rubber fixed wheels Ø 150 mm
1 standard rubber swivel wheels with brake Ø 150 mm
1 standard rubber swivel wheels Ø 150 mm
WHEELS SEE PAGE 926



CONFIGURE YOUR TROLLEY FROM PAGE 925



Extra steel shelf
Dimensions mm 999x610x30 h



Extra wooden shelf
Dimensions mm 995x600x20 h

KEY



TROLLEY
CAPACITY



Ø WHEELS



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS



ART.			
F CF H055 03 04		250	150 mm



ART.			
F CF H055 08 04		250	150 mm



ART.			
F CF H055 07 04		250	150 mm



ART.			
F CF H056 12 04		250	150 mm



ART.			
F CF H056 03 04		250	150 mm



ART.			
F CF H056 06 04		250	150 mm



2 standard rubber fixed wheels Ø 150 mm
1 standard rubber swivel wheels with brake Ø 150 mm
1 standard rubber swivel wheels Ø 150 mm





ART.			
F CL H056 04 04		250	150 mm



ART.			
F CL H056 06 04		250	150 mm



ART.			
● F CL H056 07 04		250	150 mm



ART.			
F CL H055 04 04		250	150 mm



ART.			
F CL H055 05 04		250	150 mm




ART.			
F CL H055 03 04		250	150 mm

removable mesh wall panel



2 standard rubber fixed wheels Ø 150 mm
1 standard rubber swivel wheels with brake Ø 150 mm
1 standard rubber swivel wheels Ø 150 mm



H = 817 / 1307

H1 = 43 mm

C = 685/1200

EXTRA STEEL WORKTOP

ART.	dim. mm	kg
F CF 0530 00 04	999x610x30 H	100

ART. F CF 0600 00 07 SMOOTH RUBBER FOR SHELVES

Black colour
Dim. mm 999x610x2 H

BOX STOPPER STEEL EDGES

ART.	dim. mm	suitable for
F CF 0905 00 99	995x10x60 H	steel worktop
F CF 0906 00 99	995x10x60 H	wooden shelf
F CF 0907 00 99	995x10x60 H	steel and wooden bases

The article F CF 0907 00 99 may not be ordered separately from the base

EXTRA WOODEN SHELF

ART.	dim. mm	kg
F CF 0580 00 04	995x600x20 H	100

EXTRA WOODEN TRAY

ART.	dim. mm	kg
F CF 0810 00 04	995x610x65 H	100

Internal dimensions mm 960x580x45 H

SIDE FRAME WITH HANDLE

ART.	dim. mm	ref.
F CF 0610 00 04	621x70x870 H	1
F CL 0610 00 04	621x105x1360 H	1

SIDE FRAME

ART.	dim. mm	ref.
F CF 0620 00 04	621x30x875 H	2
F CL 0620 00 04	621x30x1360 H	2

BASE WITH WOODEN PLATE

ART.	dim. mm	ref.
F CE G056 00 04	1065x625x56 H	3

BASE WITH STEEL PLATE

ART.	dim. mm	ref.
F CE G055 00 04	1065x625x56 H	4



MESHES FOR FRONTS

ART.	dim. mm
F CF 0630 00 04	484x680 H
F CL 0630 00 04	484x1200 H

Mesh hole mm 50x100

Supplied as 1 piece with 4 spring clips

MESHES FOR SIDES

ART.	dim. mm
F CF 0705 00 04 *	1000x680 H
F CL 0705 00 04 **	1000x1200 H



Mesh hole mm 50x100

*Supplied as 1 piece with 4 screw-on brackets

** Supplied as 2 pieces with 8 screw-on brackets


FORK LIFT BASE

ART.	dim. mm
F CF 0965 00 04	238x615x70 H



STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ømm	C mm	Trolley load capacity kg
C RG DAC11 100	100	128	175
C RG DAC12 125	125	155	250
C RG DAC13 150	150	180	250




STANDARD RUBBER SWIVEL WHEEL WITHOUT BRAKE

ART.	Ømm	C mm	Trolley load capacity kg
C RG CAC11 100	100	128	175
C RG CAC12 125	125	155	250
C RG CAC13 150	150	180	250



STANDARD RUBBER FIXED WHEEL

ART.	Ømm	C mm	Trolley load capacity kg
C RG BAC11 100	100	128	175
C RG BAC12 125	125	155	250
C RG BAC13 150	150	180	250




NON-MARKING RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ømm	C mm	Trolley load capacity kg
C RG DPH22 125	125	155	250



NON-MARKING RUBBER FIXED WHEEL

ART.	Ømm	Cmm	Trolley load capacity kg
C RG BPH22 125	125	155	250



ELASTIC RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ømm	C mm	Trolley load capacity kg
C RG DCE15 125	125	155	250



ELASTIC RUBBER FIXED WHEEL

ART.	Ømm	C mm	Trolley load capacity kg
C RG BCE15 125	125	155	250



POLYURETHANE SWIVEL WHEEL WITH BRAKE

ART.	Ømm	C mm	Trolley load capacity kg
C RN DDD31 125	125	155	250



POLYURETHANE FIXED WHEEL

ART.	Ømm	C mm	Trolley load capacity kg
C RN BDD31 125	125	155	250



NYLON SWIVEL WHEEL WITH BRAKE

ART.	Ømm	C mm	Trolley load capacity kg
C RN DAD10 100	100	128	250
C RN DAD11 125	125	155	250



NYLON FIXED WHEEL

ART.	Ømm	C mm	Trolley load capacity kg
C RN BAD10 100	100	128	250
C RN BAD11 125	125	155	250



H 1200 mm




● ART. F CI P255 04 04

H 1800 mm



● ART. F CK P256 06 04

METAL
COLOURS



BLUE
RAL 5012
.04



GREY
RAL 7035
.08



SUPPLIED DISASSEMBLED AS STANDARD



2 standard rubber fixed wheels Ø 200 mm
1 standard rubber swivel wheels with brake Ø 200 mm
1 standard rubber swivel wheels Ø 200 mm
WHEELS SEE PAGE 932



CONFIGURE YOUR TROLLEY FROM PAGE 931



Extra wooden shelf
Dimensions mm1280x800x20 h

KEY



TROLLEY
CAPACITY



Ø WHEELS



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS



DEPTH 845 mm

ART.			
F CI P255 04 04		500	200 mm

removable mesh wall panel



DEPTH 845 mm

ART.			
F CI P256 04 04		500	200 mm

removable mesh wall panel



ART.			
F CI P256 06 04		500	200 mm



ART.			
F CI P256 05 04		500	200 mm



ART.			
F CI P255 03 04		500	200 mm



ART.			
F CI P255 06 04		500	200 mm



2 standard rubber fixed wheels Ø 200 mm
1 standard rubber swivel wheels with brake Ø 200 mm
1 standard rubber swivel wheels Ø 200 mm

COMBI





DEPTH 845 mm

ART.			
F CK P256 04 04		500	200 mm
removable mesh wall panel			



DEPTH 845 mm

ART.			
F CK P255 04 04		500	200 mm
removable mesh wall panel			



ART.			
F CK P256 03 04		500	200 mm



ART.			
F CK P256 06 04		500	200 mm




ART.			
F CK P255 05 04		500	200 mm



ART.			
F CK P255 07 04		500	200 mm



2 standard rubber fixed wheels Ø 200 mm
1 standard rubber swivel wheels with brake Ø 200 mm
1 standard rubber swivel wheels Ø 200 mm



H = 915/ 1515
 H1 = 43 mm
 C = 850/1435

SIDE FRAME WITH HANDLE

ART.	dim. mm	ref.	
F CI 0605 00 04	821x105x970 H	1	
F CK 0605 00 04	821x105x1570 H	1	

SIDE FRAME

ART.	dim. mm	ref.	
F CI 0615 00 04	821x30x970 H	2	
F CK 0615 00 04	821x30x1570 H	2	

BASE WITH WOODEN PLATE


ART.	dim. mm	ref.	
F CE N256 00 04	1345x825x56 H	3	

BASE WITH STEEL PLATE

ART.	dim. mm	ref.	
F CE N255 00 04	1345x825x56 H	4	

EXTRA WOODEN SHELF

ART.	dim. mm	kg	
F CI 0560 00 04	1280x800x20 H	100	



BOX STOPPER STEEL EDGES

ART.	dim. mm	suitable for	
F CG 0911 00 99	1275x10x60 H	wooden shelf	
F CG 0912 00 99	1275x10x60 H	steel and wooden bases	

The article F CG 0912 00 99 may not be ordered separately from the base



FORK LIFT BASE

ART.	dim. mm	
F CI 0960 00 04	238x815x70 H	




MESHES FOR FRONTS

ART.		dim. mm
F CI 0625 00 04		684x810 H
F CK 0625 00 04		684x1405 H

Mesh hole mm 100x100

Supplied as 1 piece with 4 spring clips




MESHES FOR SIDES

ART.		dim. mm
F CI 0700 00 04 *		1280x810 H
F CK 0700 00 04 **		1280x1405 H

Mesh hole mm 100x100

*Supplied as 1 piece with 4 screw-on brackets

** Supplied as 2 pieces with 8 screw-on brackets



STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg
C RG DAC15 200	200	240	500




STANDARD RUBBER SWIVEL WHEEL WITHOUT BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg
C RG CAC15 200	200	240	500



STANDARD RUBBER FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg
C RG BAC15 200	200	240	500



ELASTIC RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg
C RG DCE15 160	160	200	500



ELASTIC RUBBER FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg
C RG BCE15 160	160	200	500




POLYURETHANE SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg
C RN DDD44 160	160	200	500




POLYURETHANE FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg
C RN BDD44 160	160	200	500




NON-MARKING RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg
C RG DPH25 160	160	200	500



NON-MARKING RUBBER FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg
C RG BPH25 160	160	200	500




NYLON SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg
C RN DAD04 160	160	200	500



NYLON FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg
C RN BAD04 160	160	200	500




H 1490 mm



● ART. F CG P155 05 04

METAL
COLOURS



BLUE
RAL 5012
.04



GREY
RAL 7035
.08



SUPPLIED DISASSEMBLED AS STANDARD



2 standard rubber fixed wheels Ø 00 mm
1 standard rubber swivel wheels with brake Ø 200 mm
1 standard rubber swivel wheels Ø 200 mm
WHEELS SEE PAGE 936



CONFIGURE YOUR TROLLEY FROM PAGE 935



Extra steel shelf
Dimensions mm 1280x510x30 h



Extra wooden shelf
Dimensions mm 1260x500x12 h

KEY



TROLLEY
CAPACITY



Ø WHEELS



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS



ART.			
F CG P156 10 04		500	200 mm



ART.			
F CG P155 05 04		500	200 mm



ART.			
F CG P156 05 04		500	200 mm



ART.			
F CG P155 07 04		500	200 mm



ART.			
F CG P156 13 04		500	200 mm



ART.			
F CG P155 04 04		500	200 mm

removable mesh wall panel

CONTAINERS NOT INCLUDED


1 galvanised rear edge strip on base shelf

TROLLEY WITH CONTAINERS ART. **F CG P156 19 04**

20 yellow containers PICKING BOX mes. 4 art. FAXPBC004B05105



2 standard rubber fixed wheels Ø 200 mm
1 standard rubber swivel wheels with brake Ø 200 mm
1 standard rubber swivel wheels Ø 200 mm




H = 1205 mm

H1 = 43 mm

C = 1100 mm


SIDE FRAME WITH HANDLE

ART.		dim. mm	ref.	
F CL 0605 00 04		521x105x1260 H	1	


SIDE FRAME


ART.		dim. mm	ref.	
F CL 0615 00 04		521x30x1260 H	2	

BASE WITH WOODEN PLATE


ART.		dim. mm	ref.	
F CE N156 00 04		1345x525x56 H	3	

BASE WITH STEEL PLATE

ART.		dim. mm	ref.	
F CE N155 00 04		1345x525x56 H	4	



EXTRA STEEL WORKTOP

ART.		dim. mm	kg	
F CG 0510 00 04		1280x510x30 H	100	

ART. F CG 0590 00 07 SMOOTH RUBBER FOR SHELVES

Black colour
Abm. mm 1280x510x2 H

BOX STOPPER STEEL EDGES

ART.	dim. mm	suitable for	
F CG 0910 00 99	1275x10x60 H	steel worktop	
F CG 0912 00 99	1275x10x60 H	steel and wooden bases	

The article F CG 0912 00 99 may not be ordered separately from the base

EXTRA WOODEN SHELF

ART.		dim. mm	kg	
F CG 0560 00 04		1260x500x12 H	100	

FORK LIFT BASE


ART.		dim. mm	
F CF 0960 00 04		238x515x70 H	

MESHES FOR FRONTS

ART.		dim. mm
F CL 0625 00 04		384x1095 H

mesh hole mm 50x100

Supplied as 1 piece with 4 spring clips




MESHES FOR SIDES

ART.		dim. mm
F CG 0700 00 04 *		1280x1095 H


mesh hole mm 50x100

*Supplied as 2 pieces with 8 screw-on brackets



STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg
C RG DAC15 200	200	240	500




STANDARD RUBBER SWIVEL WHEEL WITHOUT BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg
C RG CAC15 200	200	240	500



STANDARD RUBBER FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg
C RG BAC15 200	200	240	500




NON-MARKING RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg
C RG DPH25 160	160	200	500




NON-MARKING RUBBER FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg
C RG BPH25 160	160	200	500




ELASTIC RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg
C RG DCE15 160	160	200	500



ELASTIC RUBBER FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg
C RG BCE15 160	160	200	500



POLYURETHANE SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg
C RN DDD44 160	160	200	500




POLYURETHANE FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg
C RN BDD44 160	160	200	500



NYLON SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg
C RN DAD04 160	160	200	500



NYLON FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg
C RN BAD04 160	160	200	500




H 1590 mm



● ART. F CH P205 05 04

METAL
COLOURS



BLUE
RAL 5012
.04



GREY
RAL 7035
.08



SUPPLIED DISASSEMBLED AS STANDARD



2 standard rubber fixed wheels Ø 200 mm
1 standard rubber swivel wheels with brake Ø 200 mm
1 standard rubber swivel wheels Ø 200 mm
WHEELS SEE PAGE 940



CONFIGURE YOUR TROLLEY FROM PAGE 939



Extra steel shelf
Dimensions mm 1280x610x30 h



Extra wooden shelf
Dimensions mm 1260x600x12 h

KEY



TROLLEY
CAPACITY



Ø WHEELS



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS



ART.			
F CH P205 07 04		500	200 mm



ART.			
F CH P206 11 04		500	200 mm



ART.			
F CH P206 09 04		500	200 mm



ART.			
● F CH P205 05 04		500	200 mm



ART.			
F CH P206 12 04		500	200 mm



ART.			
F CH P206 15 04		500	200 mm

CONTAINERS NOT INCLUDED

1 galvanised rear edge strip on base shelf

TROLLEY WITH CONTAINERS ART. **F CH P206 14 04**

12 grey containers EURO BOX art. FAXEB6417A05101

CONTAINERS NOT INCLUDED


1 galvanised rear edge strip on base shelf

TROLLEY WITH CONTAINERS ART. **F CH P206 16 04**

9 grey containers EURO BOX art. FAXEB6422A05101



2 standard rubber fixed wheels Ø 200 mm
1 standard rubber swivel wheels with brake Ø 200 mm
1 standard rubber swivel wheels Ø 200 mm



H = 1305 mm

H1 = 43 mm

C = 1200 mm

SIDE FRAME WITH HANDLE

ART.		dim. mm	ref.	
F CL 0610 00 04		621x105x1360 H	1	

SIDE FRAME

ART.		dim. mm	ref.	
F CL 0620 00 04		621x30x1360 H	2	

BASE WITH WOODEN PLATE

ART.		dim. mm	ref.	
F CE N206 00 04		1345x625x56 H	3	

BASE WITH STEEL PLATE

ART.		dim. mm	ref.	
F CE N205 00 04		1345x625x56 H	4	

EXTRA STEEL WORKTOP

ART.		dim. mm	kg	
F CH 0510 00 04		1280x610x30 H	100	

ART. F CH 0590 00 07 SMOOTH RUBBER FOR SHELVES

Black colour
Abm. mm 1280x610x2 H



BOX STOPPER STEEL EDGES

ART.	dim. mm	suitable for	
F CG 0910 00 99	1275x10x60 H	steel worktop	
F CG 0912 00 99	1275x10x60 H	steel and wooden bases	

The article F CG 0912 00 99 may not be ordered separately from the base



EXTRA WOODEN SHELF

ART.		dim. mm	kg	
F CH 0560 00 04		1260x600x12 H	100	



FORK LIFT BASE

ART.		dim. mm	
F CF 0965 00 04		238x615x70 H	



MESHES FOR FRONTS

ART.		dim. mm
F CL 0630 00 04		484x1200 H

Mesh hole mm 50x100



Supplied as 1 piece with 4 spring clips

MESHES FOR SIDES

ART.		dim. mm
F CH 0700 00 04 *		1280x1200 H


Mesh hole mm 50x100

*Supplied as 2 pieces with 8 screw-on brackets




STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg
C RG DAC15 200	200	240	500



ELASTIC RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg
C RG DCE15 160	160	200	500




STANDARD RUBBER SWIVEL WHEEL WITHOUT BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg
C RG CAC15 200	200	240	500




ELASTIC RUBBER FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg
C RG BCE15 160	160	200	500




STANDARD RUBBER FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg
C RG BAC15 200	200	240	500




POLYURETHANE SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg
C RN DDD44 160	160	200	500




POLYURETHANE FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg
C RN BDD44 160	160	200	500



NON-MARKING RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg
C RG DPH25 160	160	200	500




NYLON SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	C mm	Trolley load capacity kg
C RN DAD04 160	160	200	500



NON-MARKING RUBBER FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg
C RG BPH25 160	160	200	500



NYLON FIXED WHEEL

ART.	Ø mm	C mm	Trolley load capacity kg
C RN BAD04 160	160	200	500

